

sbs
pulse power





100 WATT

PD
3.0

Roll-up Cable Charger

For iPhone, Samsung, Google Pixel & Others*

TETRGANRETTFT100WK



Specifications:

Input: 100-240 V A.C. 50/60Hz 2,0 A

USB-C1 Cable Output:

5,0 V D.C. 3,0 A / 9,0 V D.C. 3,0 A / 12,0 V D.C. 3,0 A / 15,0 V D.C. 3,0 A / 20,0 V D.C. 5,0 A (PD 100,0 W)

USB-C2 Output:

5,0 V D.C. 3,0 A / 9,0 V D.C. 3,0 A / 12,0 V D.C. 3,0 A / 15,0 V D.C. 3,0 A / 20,0 V D.C. 5,0 A (PD 100,0 W)

USB-A Output:

5,0 V D.C. 3,0 A / 9,0 V D.C. 3,0 A / 12,0 V D.C. 2,5 A / 20,0 V D.C. 1,5 A (AFC 30,0 W)


USB-C1 Cable + USB-C2 Output: PD 65,0 W + PD 35,0 W

USB-C1 Cable + USB-A Output: PD 65,0 W + 30,0 W

USB-C2 + USB-A Output: 5,0 V D.C. 3,0 A (15,0 W)

USB-C1 Cable + USB-C2 + USB-A Output:

PD 65,0 W + 5,0 V D.C. 3,0 A PPS 3,3 V - 21,0 V 5,0 A





SBS spa - Via Circonvallazione s/n
28010 Miasino (No) - Italy

sbsmobile.com

customercare@sbsmobile.com

REV0_12-25

TETRGANRETTFT100WK



UK
CA CE



Made in China
Printed in China

Follow us on:    

©2025 SBS SpA